



We use **Scandinavian wood** for production, which makes it resistant to various weather conditions. We **dry** and coat our wood with **impregnation**. However, when exposed to sun, rain or snow, it requires re-impregnation **once every six months**. Also to maintain **the guarantee**.

How to take care of our products?


IMPREGNATE

The guarantee only applies when **water-based impregnates** are used. The use of solvent-based ones voids the guarantee. We are not in a position to guarantee the durability of such an impregnate on native wood.



IMPREGNATION METHOD


Before impregnating, the boards **must be prepared by sanding them** with sandpaper no coarser than grain size 220. After thorough dust removal and sanding, the impregnating agent can be applied (**2 coats**). The application method is always indicated on the manufacturer's packaging



How to take care of our products?

WHAT ABOUT THE RAIN?

To prolong the life of our benches, we recommend that excessive accumulation of rain and snow is prevented.





METAL COMPONENTS

In the case of metal components, little prevention is required, but a few points must be borne in mind. **Plastic caps**, the protection for metal ends, must **always be in place**. If they fall off or are damaged, they **must be replaced immediately**.

How to take care of our products?

The bench **should not** be installed in **puddles** or in areas of **excessive standing water**. The mounting substrate should be **dry and suitably hardened**. The benches have fixing holes, when installing, remember to put washers (rubber and metal) on so as not to damage the footing components.

